

GHSB85F8ž'CDH-CB5@'5779GGCF-9G'

(Range depends on selected set)

Power cord (Coupled to a device), length 4.7 m, nominal cross-section 3x1 mm²

Tool cable, length 1.2 m, nominal cross-section 3x2.5 mm² and shielding, with two plugs

Alu Heat Pen - Working tool

Plastic case for device and accessories

Operating and maintenance instructions

7CDMF- ; <H'

These operating and maintenance instructions or any of the parts thereof may not be copied, reproduced, reissued, and/or digitised without prior written consent of BETAG Innovation by BEULENTECHNIK AG, BEULENTECHNIK spol. s r. o.

BETAG Innovation by BEULENTECHNIK AG, BEULENTECHNIK spol. s r. o. have made every effort to ensure that information in this manual is complete and correct. If in any doubt, please contact representatives of BEULENTECHNIK AG. Any responsibility of BETAG Innovation by BEULENTECHNIK AG for errors in this manual is limited to the correction of such errors and the abovementioned consulting services. The manual will be updated from time to time in harmony with the development of the (OHFWUR0DJQH0VFRUSX6VWHP.

These operating and maintenance instructions are intended for qualified and duly trained personnel and the customer accepts all responsibility for its use.

BEULENTECHNIK spol. s r. o.
Podebradska 56/186
180 66 Prague 9
Czech Republic

BETAG Innovation
by BEULENTECHNIK AG
Sihleggstrasse 23
8832 Wollerau
Switzerland
www.betaginnovation.com
First release 01/2017

All rights reserved

897@5F5H-CB'C : '7CAD@-5B79'

A copy of the CE Declaration of conformity is available at
<http://www.betaginnovation.com/>

